VOLUME 53 • AUTHOR INDEX

Abaravicius A *see* Pudule I *et al*
Addison GM *see* Lord J *et al*
Allen JA *see* Rodriguez E *et al*
Allison T, Leger SS. The life span of Methodist ministers: an example of the use of obituaries in epidemiology, **253**
Alonso J *see* Regidor E *et al*
Alvarez-Dardet C *see* Ashton J and Alvarez-Dardet C
see Kuh D *et al*
see McKee M and Alvarez-Dardet C
see McPherson K and Alvarez-Dardet C
see Porta M *et al*
see van de Vathorst S and Alvarez-Dardet C
Alvarez-Dardet C. Challenging previous assumptions: *editorial*, **193**
Oil spills and health advocacy: *editorial*, **257**
Paradoxes: *editorial*, **677**
Rights of Nicaraguan women: *editorial*, **129**
Was Claude Bernard wrong?: *editorial*, **593**
Alvarez-Dardet C, Ashton J. On dioxins, Liverpool, lone motherhood and homocysteine: *editorial*, **741**
Amouyel P *see* Danet S *et al*
Ancona C *see* Michelozzi P *et al*
Andersen AT *see* Grønbæk M *et al*
Andersson HI *et al*. Impact of chronic pain on health care seeking, self care, and medication. Results from a population-based Swedish study, **503**
Andraghetti R *see* Schrooten W *et al*
Andreu M *see* Porta M *et al*
Appleby P *see* Danesh J *et al*
Araki S *see* Kawakami N *et al*
Ardern K *et al*. Managing meningococcal disease case clusters: art or science?, **565**
Arnold RA *see* Maheswaran R *et al*
Arrundale J *see* Squires T *et al*
Arveux P *see* Colonna M *et al*
Ashton J *see* Alvarez-Dardet C and Ashton J
see Kuh D *et al*
see Lang S and Ashton J
Ashton J. 1997 Chadwick Lecture—Is a healthy North West Region achievable in the 21st century, **370**
Ashton J, Alvarez-Dardet C. Inequalities in health: then and now: *editorial*, **321**
Ashton JR *see* Porta M *et al*
Ashton JR. In this number: *editorial*, **513**

Badia X *see* Fernandez E *et al*
Badley EM *see* Cott CA *et al*
Badrinath P *et al*. Geographical clustering of acute adult leukaemia in the East Anglian region of the United Kingdom: a registry-based analysis, **317**
Bailey J *et al*. Is follow up by specialists routinely needed after elective surgery? A controlled trial, **118**
Bailie RS *et al*. Poor urban environments: use of paraffin and other fuels as sources of indoor air pollution, **585**
Bain MD *see* Lord J *et al*
Baker D, Team JHS. Differences between infants and adults in the social aetiology of wheeze, **636**
Bambang S *see* Spencer N *et al*
Bannister G *see* Daker-White G *et al*
Bardsley M, Jacobson B. Who will grasp the public health nettle in London?: *editorial*, **386**
Barnes R, Scott-Samuel A. The Acheson report: beyond parenthood and apple pie?: *editorial*, **322**
Barnett J *see* Little P *et al*
Barratt A *et al*. Perceived sensitivity of mammographic screening: women's views on test accuracy and financial compensation for missed cancers, **716**
Barrio G *see* Regidor E *et al*
Bartholomew HC *see* Ryan G *et al*
Bartley M. Measuring women's social position: the importance of theory: *editorial*, **601**
Bashford J *see* Trinder PM *et al*
Basso O *et al*. Study of environmental, social, and paternal factors in preterm delivery using sibs and half sibs. A population-based study in Denmark, **20**
Bates CJ *see* van der Pols JC *et al*
Baum F. Social capital: is it good for your health? Issues for a public health agenda: *leader*, **195**
Baxter K, Bevan G. An economic model to estimate the relative costs over 20 years of different hip prostheses, **542**
Bayer A *see* Elwood PC *et al*
Becker U *see* Grønbæk M *et al*
Begg N. Policies for public health management of meningococcal disease: *editorial*, **516**
Begon ME *see* Hart CA *et al*
Béland F *see* Zunzunegui M-V *et al*
Benach J, Yasui Y. Geographical patterns of excess mortality in Spain explained by two indices of deprivation, **423**
Bennett M *see* Hart CA *et al*
Berr C *see* Danet S *et al*
Bevan G *see* Baxter K and Bevan G
Bhopal R *see* Edwards R and Bhopal R
Bijlsma F *see* Mackenbach JP *et al*
Black RJ *see* Colonna M *et al*
Blakely T *et al*. Mortality in poorer areas: *letter*, **652**
Blane D *see* Brunner E *et al*
see White IR *et al*
Blane D. Health inequality and public policy: one year on from the Acheson report: *editorial*, **748**
Bleeker J *see* Bouma J *et al*
Boman K *see* Weinehall L *et al*
Book reviews Bolliger CT, Fagerström KO, *editors*. The tobacco epidemic, **807**
Haines A, Donald A, *editors*. Getting research findings into practice, **740**
Hall GM, *editor*. How to write a paper, **740**
Henry CJK, Ulijaszek SJ, *editors*. Long-term consequences of early environment: growth, development and the lifespan development perspective, **592**
Kuh D, Ben-Shlomo Y. A life course approach to chronic disease epidemiology, **591**
McCalman I, Penny B, Cook M, *editors*. Mad cows and modernity: cross-disciplinary reflections on the crisis of Cretzfeldt-Jakob disease, **807**
Nicholson KG, Webster RG, Hay AJ. Textbook of influenza, **808**
Streefland P, *editor*. Problems and potential in international health. Transdisciplinary perspectives, **807**
Borch-Johnsen K *see* Hippe M *et al*
Borman B *see* Dockerty JD *et al*
Borrell C, Pasarín MI. The study of social inequalities in health in Spain: where are we?: *editorial*, **388**
Bosch FX. Trends in cervical cancer mortality: *editorial*, **392**
Botting B *see* Rosano A *et al*
Bouma J *et al*. Longer pre-hospital delay in acute myocardial infarction in women because of longer doctor decision time, **459**
Bound J *see* Geronimus AT *et al*
Bowler S *see* Ardern K *et al*
Bradley PM. The choice of deprivation in measuring poorer health in Northamptonshire, **189**
Brayne C *see* Elwood PC *et al*
Breeze E *et al*. Socioeconomic and demographic predictors of mortality and institutional residence among middle aged and older people: results from the Longitudinal Study, **765**
Britton A *et al*. The fate of non-medics working in public health: *letter*, **128**
Broer J *see* Bouma J *et al*
Bronnum-Hansen H. How good is the Prevent model for estimating the health benefits of prevention?, **300**
Brousseau T *see* Danet S *et al*
Brown LM *et al*. Bracken fern consumption and human bladder cancer: *letter*, **653**
Brugal MT *et al*. A small area analysis estimating the prevalence of addiction to opioids in Barcelona, 1993, **488**
Brunet-Lecomte P *see* Quantin C *et al*
Brunner E *see* Hemingway H *et al*
Brunner E *et al*. When does cardiovascular risk start? Past and present socioeconomic circumstances and risk factors in adulthood, **757**
Buémi A *see* Colonna M *et al*
Burström B *et al*. Lone mothers in Sweden: trends in health and socioeconomic circumstances, 1979–1995, **750**
Burton P *see* Grossman J *et al*

Cacciani L *see* Rosano A *et al*
Caldeira L *see* Schrooten W *et al*
Cameron N *see* Levitt NS *et al*
Campbell M *see* Grossman J *et al*
Campbell MJ *see* Tobías A and Campbell MJ
Cardozo L *see* Kuh D *et al*
Carr AJ *see* Daker-White G *et al*
Carrato A *see* Porta M *et al*
Carrieri MP *et al*. Access to antiretroviral treatment among French HIV infected injection drug users: the influence of continued drug use, **4**
Cartwright R *see* Law G *et al*
Casañas P *see* Villalbí JR *et al*
Cassou B *see* Gognalons-Nicolet M *et al*
Castilla E *see* Rosano A *et al*
Caulfield L *see* Diez-Roux AV *et al*
Caylà JA *see* Brugal MT *et al*
see Villalbí JR *et al*
Chalmers RA *see* Lord J *et al*

Chan P *see* Eachus J *et al*
Chandra P *see* Rodriguez E *et al*
Chaplain G *see* Colonna M *et al*
Charnock D *et al.* DISCERN: an instrument for judging the quality of written consumer health information on treatment choices, **105**
Chen JT *see* Krieger N *et al*
Chesney M *see* Carrieri MP *et al*
Chinn DJ *et al.* Barriers to physical activity and socioeconomic position: implications for health promotion, **191**
Chinn S *see* Rona RJ *et al*
Chongsuvivatwong V *see* Tuntiseranee P *et al*
Christensen H *see* Korten AE *et al*
Christensen K *see* Basso O *et al*
Clement S *see* Harris HE *et al*
Cockburn J *see* Barratt A *et al*
Cole SR. Assessment of differential item functioning in the Perceived Stress Scale-10, **319**
Colebunders R *see* Schrooten W *et al*
Colonna M *et al.* Cancer registry data based estimation of regional cancer incidence: application to breast and colorectal cancer in French administrative regions, **558**
Connor J *et al.* Randomised studies of income supplementation: a lost opportunity to assess health outcomes, **725**
Cornel M *see* Rosano A *et al*
Corominas JM *see* Porta M *et al*
Cott CA *et al.* Determinants of self rated health for Canadians with chronic disease and disability, **731**
Crabbe T *et al.* Validation of the University of Manchester Drug Misuse Database, **159**
Crampton P *see* Salmond C *et al*
Croft PR *see* Dunn KM *et al*
see Trinder PM *et al*
Crombie DL *et al.* Relation between high temperature and mortality: *letter*, **591**
Cross KW *see* Crombie DL *et al*

Dack P *see* McDonnell RJ *et al*
Daker-White G *et al.* A randomised controlled trial. Shifting boundaries of doctors and physiotherapists in orthopaedic outpatient departments, **643**
Damian J *et al.* Determinants of self assessed health among Spanish older people living at home, **412**
Danesh J *et al.* Postcodes as useful markers of income in 26 000 British households, **582**
Danet S *et al.* Risk of dementia in parents of probands with and without the apolipoprotein E4 allele. The EVA study, **393**
Danon S *see* Pressyanov D *et al*
Davidkin I *see* Paunio M *et al*
Davis P *et al.* Health expectancy in New Zealand, 1981–1991: social variations and trends in a period of rapid social and economic change, **519**
Day NE *see* Badrinath P *et al*
de Backer G *see* de Henauw S *et al*
de Bacquer D *see* de Henauw S *et al*
de Bakker DH *see* Reijneveld SA *et al*
de Faire U *see* Tsutsumi A *et al*
de Henauw S *et al.* Trends in coronary heart disease in two Belgian areas: results from the MONICA Ghent-Charleroi study, **89**
DeJongste MJL *see* Bouma J *et al*
de La Fuente L *see* Regidor E *et al*
Delaney V *see* McDonnell RJ *et al*
Delgado-Rodriguez M *see* Llorca J *et al*
Dell'orco V *see* Michelozzi P *et al*
Demicheli V *see* Jefferson T and Demicheli V
Derriennic F *see* Gognalons-Nicolet M *et al*
de Smet P *see* de Henauw S *et al*
de Wet T *see* Levitt NS *et al*
Diderichsen F *see* Burström B *et al*
Diez-Roux AV *et al.* Neighbourhood differences in diet: the Atherosclerosis Risk in Communities (ARIC) Study, **55**
Divitini ML *see* Ryan G *et al*
Dockerty JD *et al.* An assessment of spatial clustering of leukaemias and lymphomas among young people in New Zealand, **154**
Dolk H *see* Pattenden S *et al*
Domingo A *see* Regidor E *et al*
Domingo-Salvany A *see* Brugal MT *et al*
Dominguez V *see* Regidor E *et al*
Donnall M *see* Crabbe T *et al*
Dreezen C *see* Schrooten W *et al*
Dreyer NA *see* Loughlin JE *et al*
Drinkwater C *see* Chinn DJ *et al*
Ducic S *see* Fourn L *et al*
Dudgon M *see* Trinder PM *et al*
Duff CH. Balkan briefing. Reflections on the health of a refugee population (part 1), **578**
Duhl L. Finding identity in a virtual world: *editorial*, **746**
Dunn KM *et al.* Association of sexual problems with social, psychological, and physical problems in men and women: a cross sectional population survey, **144**
Dusserre L *see* Quantin C *et al*

Eachus J *et al.* An additional dimension to health inequalities: disease severity and socioeconomic position, **603**
Edna T-H *see* Forsén L *et al*
Edwards R *see* Levitt NS *et al*
Edwards R, Bhopal R. The covert influence of the tobacco industry on research and publication: a call to arms: *editorial*, **261**
Egger M *see* Low N *et al*
Ehrlich RI *see* Bailie RS *et al*
Ejlertsson G *see* Andersson HI *et al*
Ellison GTH *see* Harris HE *et al*
see Levitt NS *et al*
Elwood PC *et al.* Smoking, drinking, and other life style factors and cognitive function in men in the Caerphilly cohort, **9**
Emslie C *et al.* Gender differences in minor morbidity among full time employees of a British university, **465**
Entezam F *see* Quantin C *et al*
Erickson D *see* Rosano A *et al*
Etter J-F *et al.* Short-term impact of a university based smoke free campaign, **710**
EVA Study Group *see* Danet S *et al*
Evans CJ *et al.* Prevalence of varicose veins and chronic venous insufficiency in men and women in the general population: Edinburgh Vein Study, **149**
Evans D *see* Lyons RA *et al*

Faivre J *see* Colonna M *et al*
Fernandez E *et al.* Gender inequalities in health and health care services use in Catalonia (Spain), **218**
Fernández E *see* Rajmil L *et al*
Fernández E *et al.* Epidemiology and public health journals on the internet, **510**
Ferrer A *see* Villalbí JR *et al*
Finazzi R *see* Schrooten W *et al*
Finch S *see* van der Pols JC *et al*
Fineron P *see* Squires T *et al*
Fitzpatrick R *see* Klassen A *et al*
Fleerackers Y *see* Schrooten W *et al*
Fleming DM *see* Crombie DL *et al*
Fletcher A *see* Breeze E *et al*
Fone DL *see* Lyons RA *et al*
Forastiere F *see* Michelozzi P *et al*
Forsén L *et al.* Mental distress and risk of hip fracture. Do broken hearts lead to broken bones?, **343**
Fourn L *et al.* Smoking and intrauterine growth retardation in Republic of Benin, **432**
Fowkes FGR *see* Evans CJ *et al*
Frank J *see* Hemingway H *et al*
Fraumeni JF *see* Brown LM *et al*
Freidl W *et al.* Operationalisation of a demand/resource model of health: an explorative study, **187**
Frongillo Jr EA *see* Rodriguez E *et al*
Furnival C *see* Barratt A *et al*
Fusco D *see* Michelozzi P *et al*

Gabbay J *see* Little P *et al*
Galdós-Tangüis H *see* Villalbí JR *et al*
Gallacher JEJ *see* Elwood PC *et al*
Gann R *see* Charnock D *et al*
Gault S *see* Danesh J *et al*
Gent RN. Balkan briefing. Abuses of human rights in the Kosovo region of the Balkans: *editorial*, **594**
Geronimus AT *et al.* Poverty, time, and place: variation in excess mortality across selected US populations, 1980–1990, **325**
Gignac MAM *see* Cott CA *et al*
Gilbody S *see* Petticrew M *et al*
Gill L *see* Spencer N *et al*
Gispert R *see* Rajmil L *et al*
Glasziou PP *see* Martin AJ *et al*
Glutting JP *see* Rajmil L *et al*
Gluud C *see* Grønbæk M *et al*
Gognalons-Nicolet M *et al.* Social prognostic factors of mortality in a random cohort of Geneva subjects followed up for a period of 12 years, **138**
Goodacre T *see* Klassen A *et al*
Gorman D *see* Squires T *et al*
Goujard J *see* Rosano A *et al*
Graham P *see* Davis P *et al*
Grinberga D *see* Pudule I *et al*
Gronbæk M *et al.* Beer, wine, spirits and subjective health, **721**
Grosclaude P *see* Colonna M *et al*
Grossman J *et al.* Bayesian analysis: *letter*, **652**
Guarner L *see* Porta M *et al*
Gunning-Schepers LJ. Models: instruments for evidence based policy: *leader*, **263**
Gurrin L *see* Grossman J *et al*
Guy H *see* Quantin C *et al*

Hackett GI *see* Dunn KM *et al*
Haines A. Poverty and world health: challenges and opportunities: *editorial*, **597**
Hales S *see* Salmond C *et al*
Hallmans G *see* Weinehall L *et al*

Hallqvist J *see* Tsutsumi A *et al*
Hardy R *see* Kuh D *et al*
Harland J *see* Chinn DJ *et al*
Harris HE *et al.* Relative importance of heritable characteristics and lifestyle in the development of maternal obesity, **66**
Hart CA *et al.* Zoonoses: *editorial*, **514**
Hartnoll R *see* Brugal MT *et al*
Harvey I *see* Daker-White G *et al*
Hedley AJ *see* Wong C-M *et al*
Hein HO *see* Hippe M *et al*
Heinonen OP *see* Paunio M *et al*
Hellsten G *see* Weinehall L *et al*
Hemingway H *et al.* Are risk factors for atherothrombotic disease associated with back pain sickness absence? The Whitehall II study, **197**
Henderson AS *see* Korten AE *et al*
Herrmann B *see* Low N *et al*
Hippe M *et al.* Familial predisposition and susceptibility to the effect of other risk factors for myocardial infarction, **269**
Holland WW *see* Britton A *et al*
Hoover RN *see* Brown LM *et al*
Hopkinson CA *see* Elwood PC *et al*
Hughes JM *see* Rona RJ *et al*
Hunt K *see* Emslie C *et al*
Huppert FA *see* Elwood PC *et al*
Hussey R. Dr Duncan's legacy in Liverpool today, **801**
Hussey RM *see* Ardern K *et al*
Hutchinson J *see* Morris M and Hutchinson J
Hyder AA, Morrow RH. Steady state assumptions in DALYs: effect on estimates of HIV impact, **43**
Hyndman J *see* Pritchard DA *et al*

Irgens L *see* Rosano A *et al*
Ishibashi H *see* Kawakami N *et al*

Jacobson B *see* Bardsley M and Jacobson B
Jacomb PA *see* Korten AE *et al*
James A *see* Ryan G *et al*
Jefferson T, Demicheli V. Relation between experimental and non-experimental study designs. HB vaccines: a case study, **51**
Jenkinson C *see* Klassen A *et al*
see Lloyd A *et al*
Jenkinson C *et al.* Assessment of the SF-36 version 2 in the United Kingdom, **46**
Jensen G *see* Hippe M *et al*
Jessop EG *see* Maheswaran R *et al*
Jiao Z *see* Korten AE *et al*
Johnson Z *see* McDonnell RJ *et al*
Johnstone P. Kosovo: the challenge to public health: *editorial*, **450**
Jones M *see* Trinder PM *et al*
Jorm AF *see* Korten AE *et al*

Kadziauskiene K *see* Pudule I *et al*
Kammerling M *see* Daker-White G *et al*
Karvonen S *et al.* Social mobility and health related behaviours in young people, **211**
Kawakami N *et al.* Overtime, psychosocial working conditions, and occurrence of non-insulin dependent diabetes mellitus in Japanese men, **359**
Keenan E *see* Smyth BP *et al*
Keller I *see* Zunzunegui M-V *et al*
Kesmodel U, Olsen SF. Smoking habits among pregnant Danish women: reliability of information recorded after delivery, **239**
Kickbusch I. Global + local = glocal public health: *editorial*, **451**
Kinmonth A-L *see* Little P *et al*
Kivimäki M *see* Vahtera J *et al*
Klassen A *et al.* Contrasting evidence of the effectiveness of cosmetic surgery from two health related quality of life measures, **440**
Knuiman MW *see* Ryan G *et al*
Kornitzer M *see* de Henauw S *et al*
Korten AE *et al.* Health, cognitive, and psychosocial factors as predictors of mortality in an elderly community sample, **83**
Krieger N. Sticky webs, hungry spiders, buzzing flies, and fractal metaphors: on the misleading juxtaposition of "risk factor" versus "social" epidemiology: *editorial*, **678**
Krieger N *et al.* Comparing individual-based and household-based measures of social class to assess class inequalities in women's health: a methodological study of 684 US women, **612**
Kuh D *et al.* In this number: *editorial*, **449**
Urinary incontinence in middle aged women: childhood enuresis and other lifetime risk factors in a British prospective cohort, **453**
Kunst AE *see* Mackenbach JP *et al*
Kyaw MH *et al.* Family doctor advice is the main determinant of pneumococcal vaccine uptake, **589**

Laatikainen T *et al.* Comparing smoking and smoking cessation process in the Republic of Karelia, Russia and North Karelia, Finland, **528**
Lam T-H *see* Wong C-M *et al*
Lang S, Ashton J. Tolerance and reconciliation: the spiritual prerequisites to health, **502**
Lang T. The new GATT Round: Whose development? Whose health?: *editorial*, **681**
Latour-Perez J. Social inequalities in severity of illness: *editorial*, **599**
Launoy G *see* Colonna M *et al*
Lautenbach H *see* Mackenbach JP *et al*
Law G *et al.* Non-Hodgkin's lymphoma and nitrate in drinking water: a study in Yorkshire, United Kingdom, **383**
Law MR *see* Blakely T *et al*
Lawlor DA. Deprivation and excess winter mortality: *letter*, **807**
Leden I *see* Andersson HI *et al*
Lee AJ *see* Evans CJ *et al*
Leger SS *see* Allison T and Leger SS
Lepage E *see* Quantin C *et al*
Lesec'h JM *see* Colonna M *et al*
Letenneur L *see* Korten AE *et al*
Levitt NS *et al.* An inverse relation between blood pressure and birth weight among 5 year old children from Soweto, South Africa, **264**
Lewis G *see* Neeleman J and Lewis G
Lewis S *see* Salmond C *et al*
Liljestrand J *see* Peña R *et al*
Limbutara S *see* Tuntiseranee P *et al*
Little P *et al.* The validity of dietary assessment in general practice, **165**
Little RE, Nafstad P. Weight gain and relation to maternal smoking: *letter*, **256**
Littlejohns P *see* Lord J *et al*
Liu JLY *see* Tang J-L *et al*
Llácer A *see* Zunzunegui M-V *et al*
Llorca J *et al.* Increase in cervical cancer mortality in Spain, 1951–1991, **408**
Lloyd A *et al.* Assessment of the SF-36 version 2 in the United Kingdom: *letter*, **651**
Logan S *see* Spencer N *et al*
Lord J *et al.* Secondary analysis of economic data: a review of cost-benefit studies of neonatal screening for phenylketonuria, **179**
Loughlin JE *et al.* Lymphatic and haematopoietic cancer mortality in a population attending school adjacent to styrene-butadiene facilities, 1963–1993, **283**
Low N *et al.* Contrasting trends in rates of genital chlamydial infection and ectopic pregnancy in South East Thames Region, England and Uppsala County, Sweden: ecological study, **438**
Lyons RA *et al.* Acute health effects of the Sea Empress oil spill, **306**

Ma S *see* Wong C-M *et al*
McBride A *see* Barratt A *et al*
McCarron P *see* Stone DH *et al*
McDonnell RJ *et al.* East Ireland 1980–1994: epidemiology of neural tube defects, **782**
Macintyre S *see* Emslie C *et al*
McKee M *see* Pudule I *et al*
McKee M, Alvarez-Dardet C. On editorial freedom: implications of the JAMA affair: *editorial*, **194**
Mackenbach JP *et al.* Gains in life expectancy after elimination of major causes of death: revised estimates taking into account the effect of competing causes, **32**
McKinney P *see* Law G *et al*
McLeod A. Variation in the provision of chemotherapy for colorectal cancer, **775**
McMichael AJ. Dioxins in Belgian feed and food: chickens and eggs: *editorial*, **742**
McPherson K. Type 3 errors, pill scares, and the epidemiology of oral contraception and health: *editorial*, **258**
McPherson K, Alvarez-Dardet C. Would Sir Edward Chadwick be allowed to practice public health today? Do we need a philosophy of public health?: *editorial*, **65**
McVey D *see* Thompson RL *et al*
Maguire A *see* Brugal MT *et al*
Maheswaran R *et al.* Multiple myeloma in south Cumbria: prediction fulfilled , **255**
Malats N *see* Porta M *et al*
Mallon L *see* Barratt A *et al*
MANIF 2000 Study Group *see* Carrieri MP *et al*
Manson-Siddle CJ, Robinson MB. Does increased investment in coronary angiography and revascularisation reduce socioeconomic inequalities in utilisation?, **572**
Margetts B *see* Little P *et al*
Margetts BM *see* Thompson RL *et al*
Marmot M *see* Hemingway H *et al*
Marmot MG *see* Brunner E *et al*
Martin AJ *et al.* A cardiovascular extension of the Health Measurement Questionnaire, **548**
Martin-Moreno JM *see* Damian J *et al*
Martyn CN *see* Phillips NJ *et al*
Mbuli S *see* Bailie RS *et al*
Ménégoz F *see* Colonna M *et al*
Merlob P *see* Rosano A *et al*
Meyboom-de Jong B *see* Bouma J *et al*
Meyer HE *see* Forsén L *et al*
Michelozzi P *et al.* Inequality in health: socioeconomic differentials in mortality in Rome, 1990–95, **687**
Millar T *see* Crabbe T *et al*
Minev L *see* Pressyanov D *et al*

Miotto P *see* Preti A and Miotto P
Moatti JP *see* Carrieri MP *et al*
Moatti J-P *see* Schrooten W *et al*
Möller J *see* Upmark M *et al*
Moncada S. Working conditions and social inequalities in health: *editorial*, **390**
Monfort C *see* Gognalons-Nicolet M *et al*
Morrell C *see* Levitt NS *et al*
Morris JK *see* Blakely T *et al*
Morris JN *see* White IR *et al*
Morris M, Hutchinson J. Practice makes perfect: developing public health practice: *editorial*, **683**
Morrow RH *see* Hyder AA and Morrow RH
Mortensen EL *see* Grønbæk M *et al*
Mourouga P *see* White IR *et al*
Musk AW *see* Ryan G *et al*
Mygind K *see* Grønbæk M *et al*

Nafstad P *see* Little RE and Nafstad P
Nass S *see* Forsén L *et al*
Navarro P *see* Regidor E *et al*
Nebot M *see* Villalbi JR *et al*
Needham G *see* Charnock D *et al*
Neeleman J, Lewis G. Suicide, religion, and socioeconomic conditions. An ecological study in 26 countries, 1990, **204**
Nelson I *see* Daker-White G *et al*
Nguyen-Van-Tam JS *see* Kyaw MH *et al*
Nieto FJ *see* Diez-Roux AV *et al*

Obadia Y *see* Carrieri MP *et al*
O'Connor JJ *see* Smyth BP *et al*
Oei YB *see* Mackenbach JP *et al*
Olsen J *see* Basso O *et al*
see Tuntiseranee P *et al*
Olsen SF *see* Kesmodel U and Olsen SF

Paice C *see* Jenkinson C *et al*
Palmer SR *see* Lyons RA *et al*
Parmar MKB *see* Grossman J *et al*
Parslow R *see* Law G *et al*
Pasarin MI *see* Borrell C and Pasarin MI
Pastor V *see* Damian J *et al*
Pattenden S *et al*. Inequalities in low birth weight: parental social class, area deprivation, and "lone mother" status, **355**
Paunio M *et al*. Twice vaccinated recipients are better protected against epidemic measles than are single dose recipients of measles containing vaccine, **173**
Peacock J *see* Shah S and Peacock J
Pearce N *see* Davis P *et al*
see Salmond C *et al*
Pearson JCG *see* Kyaw MH *et al*
Pearson N *see* Eachus J *et al*
Pearson TA *see* Weinehall L *et al*
Peltola H *see* Paunio M *et al*
Peña R *et al*. Fertility and infant mortality trends in Nicaragua 1964–1993. The role of women's education, **132**
Pentti J *see* Vahtera J *et al*
Perneger TV *see* Etter J-F *et al*
Persson L *see* Peña R *et al*
Perucci CA *see* Michelozzi P *et al*
Petersen S *see* Jenkinson C *et al*
Peto R *see* Danesh J *et al*
Petticrew M *et al*. Lost information? The fate of papers presented at the 40th Society for Social Medicine Conference, **442**
Pharoah POD. Dr Duncan's legacy in a remote New Guinea valley, **794**
Phillips NJ *et al*. Validity of mortality data for Parkinson's disease, **587**
Pickering J *see* Elwood PC *et al*
Pilotto LS *see* Bailie RS *et al*
Plasència A *see* Rajmil L *et al*
Platt S *see* Squires T *et al*
Popay J. Being a woman is hard work: the policy implications of poor health among lone mothers: *editorial*, **749**
Porta M *et al*. Association between coffee drinking and K-*ras* mutations in exocrine pancreatic cancer, **702**
Genes as causes: scientific fact or simplistic thinking?: *editorial*, **385**
Prentice A *see* van der Pols JC *et al*
Prescott E *see* West R and Prescott E
Pressyanov D *et al*. Excess lung cancer incidence and radon indoors in a Bulgarian town: *letter*, **448**
Preti A, Miotto P. Suicide and unemployment in Italy, 1982–1994, **694**
Priest P *see* Connor J *et al*
Prieto MD *see* Llorca J *et al*
Pritchard DA *et al*. Nutritional counselling in general practice: a cost effective analysis, **311**
Propper C *see* Eachus J *et al*
Pudule I *et al*. Patterns of smoking in the Baltic Republics, **277**
Puska P *see* Laatikainen T *et al*

Quantin C *et al*. High cost factors for leukaemia and lymphoma patients: a new analysis of costs within these diagnosis related groups, **24**

Rabbitt P *see* Elwood PC *et al*
Rajmil L *see* Fernandez E *et al*
Rajmil L *et al*. Influence of proxy respondents in children's health interview surveys, **38**
Rásky E *see* Freidl W *et al*
Raverdy N *see* Colonna M *et al*
Raybould S *see* Chinn DJ *et al*
Real FX *see* Porta M *et al*
Reay J *see* Phillips NJ *et al*
Regan CM *see* Ardern K *et al*
Regan M. Health protection in the next millennium: from tactics to strategy?: *editorial*, **517**
Regidor E *et al*. Association between educational level and health related quality of life in Spanish adults, **75**
The magnitude of differences in perceived general health associated with educational level in the regions of Spain, **288**
Reijneveld SA *et al*. Relative importance of urbanicity, ethnicity and socioeconomic factors regarding area mortality differences, **444**
Reuterwall C *see* Tsutsumi A *et al*
Revzani A *see* Colonna M *et al*
Reynaud-Maurupt C *see* Carrieri MP *et al*
Richard F *see* Danet S *et al*
Rifà J *see* Porta M *et al*
Rimpelä AH *see* Karvonen S *et al*
Rimpelä MK *see* Karvonen S *et al*
Robert E *see* Rosano A *et al*
Roberts C *see* Bailey J *et al*
Robertson A *see* Pudule I *et al*
Robinson MB *see* Manson-Siddle CJ and Robinson MB
Roddy RE *see* Weir SS *et al*
Rodgers A *see* Connor J *et al*
Rodgers B *see* Korten AE *et al*
Rodriguez C *see* Regidor E *et al*
see Regidor E *et al*
Rodriguez E *et al*. Unemployment, depression, and health: a look at the African-American community, **335**
Roland M *see* Bailey J *et al*
Romelsjö A *see* Upmark M *et al*
Rona RJ *et al*. Association between asthma and family size between 1977 and 1994, **15**
Ronchi A *see* Etter J-F *et al*
Rosano A *et al*. Time trends in neural tube defects prevalence in relation to preventive strategies: an international study, **630**
Rothman KJ *see* Loughlin JE *et al*
Ruckley CV *see* Evans CJ *et al*
Rué M *see* Rajmil L *et al*
Ruigomez A *see* Damian J *et al*
Ryan G *et al*. Decline in lung function and mortality: The Busselton Health Study, **230**
Ryan KA *see* Weir SS *et al*

Salas A *see* Porta M *et al*
Salmond C *et al*. Asthma prevalence and deprivation: a small area analysis, **476**
Schaffer P *see* Colonna M *et al*
Schei B *see* Forsén L *et al*
Scherstén B *see* Andersson HI *et al*
Schiaffino A *see* Fernandez E *et al*
see Fernández E *et al*
Schrooten W *et al*. Limited access to antiretroviral therapy for intravenous drug users in Europe: *letter*, **739**
Scott-Samuel A *see* Barnes R and Scott-Samuel A
Seguin L *see* Fourn L *et al*
Segura A *see* Fernandez E *et al*
see Rajmil L *et al*
Selby JV *see* Krieger N *et al*
Semmence J *see* Danesh J *et al*
Seymour CA *see* Lord J *et al*
Shah S, Peacock J. Deprivation and excess winter mortality, **499**
Shannon H *see* Hemingway H *et al*
Sharples KJ *see* Dockerty JD *et al*
Sheard S. High rates and a healthy city: *editorial*, **324**
Shepperd S *see* Charnock D *et al*
Shimizu H *see* Kawakami N *et al*
Shipley M *see* Hemingway H *et al*
Shipley MJ *see* Brunner E *et al*
Shiu-Hung L. Public health issues in Hong Kong and China: *leader*, **130**
Shouls S *see* Burström B *et al*
Siffel C *see* Rosano A *et al*
Simes RJ *see* Martin AJ *et al*
Simms I *see* Low N *et al*
Sloggett A *see* Breeze E *et al*
Smith GD *see* Brunner E *et al*
see Eachus J *et al*
see Stone DH *et al*
Smithells D *see* Rosano A *et al*

Smyth BP *et al.* Evaluation of the impact of Dublin's expanded harm reduction programme on prevalence of hepatitis C among short-term injecting drug users, **434**
Sobrequés J *see* Fernández E *et al*
Søgaard AJ *see* Forsén L *et al*
Song F *see* Petticrew M *et al*
Sørensen TIA *see* Grønbæk M *et al*
see Hippe M *et al*
Speller VM *see* Thompson RL *et al*
Spencer N *et al.* Socioeconomic status and birth weight: comparison of an area-based measure with the Registrar General's social class, **495**
Squires T *et al.* Reduction in drug related suicide in Scotland 1990–1996: an artefactual explanation, **436**
Stanistreet D. Violence: developing a policy agenda: *editorial*, **2**
Stansfeld S *see* Hemingway H *et al*
Stewart S *see* Britton A *et al*
Stewart-Brown S *see* Jenkinson C *et al*
see Lloyd A *et al*
Steyn K *see* Levitt NS *et al*
Stockton D *see* Badrinath P *et al*
Stoll C *see* Rosano A *et al*
Stollery B *see* Elwood PC *et al*
Stolwijk AM *et al.* Studying seasonality by using sine and cosine functions in regression analysis, **235**
Stone DH *et al.* Similarities in the epidemiology of neural tube defects and coronary heart disease: is homocysteine the missing link?, **789**
Straatman H *see* Stolwijk AM *et al*
Stronegger W-J *see* Freidl W *et al*
Sumiyoshi Y *see* Rosano A *et al*
Szklo M *see* Diez-Roux AV *et al*

Taba F *see* Pritchard DA *et al*
Takatsuka N *see* Kawakami N *et al*
Tang J-L *et al.* Adjusted impact factors for comparisons between disciplines: *letter*, **739**
Team JHS *see* Baker D and Team JHS
Temple JMF *see* Lyons RA *et al*
Terblanche P *see* Bailie RS *et al*
Theorell T *see* Tsutsumi A *et al*
Thomas G *see* Trinder PM *et al*
Thomason MJ *see* Lord J *et al*
Thompson JR *see* van der Pols JC *et al*
Thompson R *see* Little P *et al*
Thompson RL *et al.* The Health Education Authority's health and lifestyle survey 1993: who are the low fruit and vegetable consumers?, **294**
Tobías A, Campbell MJ. Modelling influenza epidemics in the relation between black smoke and total mortality. A sensitivity analysis, **583**
Tretarre B *see* Colonna M *et al*
Trinder PM *et al.* Social deprivation and patterns of consultation for respiratory symptoms: a population-based cohort study, **251**
Truter R *see* Bailie RS *et al*
Tsutsumi A *et al.* Association between job characteristics and plasma fibrinogen in a normal working population: a cross sectional analysis in referents of the SHEEP study, **348**
Tunstall-Pedoe H *see* Woodward M and Tunstall-Pedoe H
Tuntiseranee P *et al.* Socioeconomic and work related determinants of pregnancy outcome in southern Thailand, **624**
Tyroler HA *see* Diez-Roux AV *et al*

Upmark M *et al.* Longitudinal, population-based study of self reported alcohol habits, high levels of sickness absence, and disability pensions, **223**
Uzunov P *see* Pressyanov D *et al*

Vaask S *see* Pudule I *et al*
Vahtera J *et al.* Workplace as an origin of health inequalities, **399**
Valerianova Z *see* Pressyanov D *et al*
Valle M *see* Paunio M *et al*
van der Pols JC *et al.* Is the frequency of having an eye test associated with socioeconomic factors? A national cross sectional study in British elderly, **737**
van de Vathorst S, Alvarez-Dardet C. Do only French doctors discriminate against intravenous drug users?: *editorial*, **1**
van Oyen H. Dioxin in feed and food: Is public health running behind?: *editorial*, **744**
van Sonderen E *see* Bouma J *et al*
Vartiainen E *see* Laatikainen T *et al*
Verheij RA *see* Reijneveld SA *et al*
Vestbo J *see* Hippe M *et al*
Villalbí JR *see* Brugal MT *et al*
Villalbí JR. Every step counts: towards a smoke free society: *editorial*, **686**
Villalbí JR *et al.* Tuberculosis infection and disease among schoolchildren: the influence of the HIV epidemic and of other factors, **112**
Vineis P. *ras* Mutations and a cup of coffee: cause, confounder, effect modifier, or what else?: *editorial*, **685**
Virtanen M *see* Paunio M *et al*
Virtanen P *see* Vahtera J *et al*
Vlahov D *see* Carrieri MP *et al*
Vrijheid M *see* Pattenden S *et al*

Waidmann TA *see* Geronimus AT *et al*
Wall S *see* Weinehall L *et al*
Warm D *see* Little P *et al*
Warwick H *see* Little P *et al*
Watson RL *see* Diez-Roux AV *et al*
Webster P. Review of the "City Health Profiles" produced by WHO-Healthy Cities—do they present information on health and its determinants and what are their perceived benefits?, **125**
Weed DL. Towards a philosophy of public health, **99**
Weinehall L *et al.* Shifting the distribution of risk: results of a community intervention in a Swedish programme for the prevention of cardiovascular disease, **243**
Weir SS *et al.* Association between condom use and HIV infection: a randomised study of self reported condom use measures, **417**
West R, Prescott E. Life expectancy and relation to smoking: *letter*, **591**
Westman G *see* Weinehall L *et al*
White IR *et al.* Educational attainment, deprivation-affluence and self reported health in Britain: a cross sectional study, **535**
White M *see* Chinn DJ *et al*
Whitehead M *see* Burström B *et al*
Wilcox AH *see* Lord J *et al*
Wilson D *see* Brown LM *et al*
Wong C-M *et al.* Does ozone have any effect on daily hospital admissions for circulatory diseases?, **580**
Wong TW *see* Tang J-L *et al*
Woodward M, Tunstall-Pedoe H. Coffee and tea consumption in the Scottish Heart Health Study follow up: conflicting relations with coronary risk factors, coronary disease, and all cause mortality, **481**
Woolhead G *see* Daker-White G *et al*
Wooton S *see* Little P *et al*

Yasui Y *see* Benach J and Yasui Y

Zahm SH *see* Brown LM *et al*
Zekeng L *see* Weir SS *et al*
Zelaya E *see* Peña R *et al*
Zielhuis GA *see* Stolwijk AM *et al*
Zunzunegui M-V *et al.* Family, religion, and depressive symptoms in caregivers of disabled elderly, **364**

VOLUME 53 • SUBJECT INDEX

Acheson report, Health inequality and public policy: one year on from the Acheson report: *editorial*, **748**
The Acheson report: beyond parenthood and apple pie?: *editorial*, **322**
acute myocardial infarction, Longer pre-hospital delay in acute myocardial infarction in women because of longer doctor decision time, **459**
Africa, An inverse relation between blood pressure and birth weight among 5 year old children from Soweto, South Africa, **264**
African-American, Unemployment, depression, and health: a look at the African-American community, **335**
age, Determinants of self assessed health among Spanish older people living at home, **412**
air pollution, Poor urban environments: use of paraffin and other fuels as sources of indoor air pollution, **585**
alcohol, Smoking, drinking, and other life style factors and cognitive function in men in the Caerphilly cohort, **9**
Smoking habits among pregnant Danish women: reliability of information recorded after delivery, **239**
alcohol consumption, Longitudinal, population-based study of self reported alcohol habits, high levels of sickness absence, and disability pensions, **223**
alcoholic beverages, Beer, wine, spirits and subjective health, **721**
annual meeting, Society for Social Medicine, **655**
antiretroviral therapy, Limited access to antiretroviral therapy for intravenous drug users in Europe: *letter*, **739**
antiretroviral treatment, Access to antiretroviral treatment among French HIV infected injection drug users: the influence of continued drug use, **4**
apolipoprotein E, Risk of dementia in parents of probands with and without the apolipoprotein E4 allele. The EVA study, **393**
area deprivation, Inequalities in low birth weight: parental social class, area deprivation, and "lone mother" status, **355**
area-based deprivation, Socioeconomic status and birth weight: comparison of an area-based measure with the Registrar General's social class, **495**
asthma, Association between asthma and family size between 1977 and 1994, **15**
Asthma prevalence and deprivation: a small area analysis, **476**
attitude to health, Determinants of self assessed health among Spanish older people living at home, **412**

back pain, Are risk factors for atherothrombotic disease associated with back pain sickness absence? The Whitehall II study, **197**
Challenging previous assumptions: *editorial*, **193**
Bayesian statistics, Bayesian analysis: *letter*, **652**
Belgium, Dioxin in feed and food: Is public health running behind?: *editorial*, **744**
Dioxins in Belgian feed and food: chickens and eggs: *editorial*, **742**
birth weight, An inverse relation between blood pressure and birth weight among 5 year old children from Soweto, South Africa, **264**
Inequalities in low birth weight: parental social class, area deprivation, and "lone mother" status, **355**
Socioeconomic and work related determinants of pregnancy outcome in southern Thailand, **624**
Socioeconomic status and birth weight: comparison of an area-based measure with the Registrar General's social class, **495**
black smoke, Modelling influenza epidemics in the relation between black smoke and total mortality. A sensitivity analysis, **583**
bladder cancer, Bracken fern consumption and human bladder cancer: *letter*, **653**
blood pressure, An inverse relation between blood pressure and birth weight among 5 year old children from Soweto, South Africa, **264**
bracken, Bracken fern consumption and human bladder cancer: *letter*, **653**
breast cancer, Cancer registry data based estimation of regional cancer incidence: application to breast and colorectal cancer in French administrative regions, **558**
Perceived sensitivity of mammographic screening: women's views on test accuracy and financial compensation for missed cancers, **716**
breast feeding, Weight gain and relation to maternal smoking: *letter*, **256**
Bulgaria, Excess lung cancer incidence and radon indoors in a Bulgarian town: *letter*, **448**
burden of disease, Steady state assumptions in DALYs: effect on estimates of HIV impact, **43**
Busselton, Decline in lung function and mortality: The Busselton Health Study, **230**

cancer, Lymphatic and haematopoietic cancer mortality in a population attending school adjacent to styrene-butadiene facilities, 1963–1993, **283**
cancer registration, Multiple myeloma in south Cumbria: prediction fulfilled , **255**
cardiovascular disease, A cardiovascular extension of the Health Measurement Questionnaire, **548**
Shifting the distribution of risk: results of a community intervention in a Swedish programme for the prevention of cardiovascular disease, **243**
cardiovascular diseases, Neighbourhood differences in diet: the Atherosclerosis Risk in Communities (ARIC) Study, **55**
cardiovascular risk factors, When does cardiovascular risk start? Past and present socioeconomic circumstances and risk factors in adulthood, **757**
care seeking, Impact of chronic pain on health care seeking, self care, and medication. Results from a population-based Swedish study, **503**
Catalonia, Gender inequalities in health and health care services use in Catalonia (Spain), **218**
cause of death, Inequality in health: socioeconomic differentials in mortality in Rome, 1990–95, **687**
cervical cancer, Increase in cervical cancer mortality in Spain, 1951–1991, **408**
Trends in cervical cancer mortality: *editorial*, **392**
Chadwick lecture, 1997 Chadwick Lecture—Is a healthy North West Region achievable in the 21st century, **370**
chemotherapy, Variation in the provision of chemotherapy for colorectal cancer, **775**
child, An assessment of spatial clustering of leukaemias and lymphomas among young people in New Zealand, **154**
children, Influence of proxy respondents in children's health interview surveys, **38**
China, Public health issues in Hong Kong and China: *leader*, **130**
chronic illness, Determinants of self rated health for Canadians with chronic disease and disability, **731**
chronic pain, Impact of chronic pain on health care seeking, self care, and medication. Results from a population-based Swedish study, **503**
chronic venous insufficiency, Prevalence of varicose veins and chronic venous insufficiency in men and women in the general population: Edinburgh Vein Study, **149**
circulatory diseases, Does ozone have any effect on daily hospital admissions for circulatory diseases?, **580**
clustering, An assessment of spatial clustering of leukaemias and lymphomas among young people in New Zealand, **154**
coffee, Association between coffee drinking and K-*ras* mutations in exocrine pancreatic cancer, **702**
Coffee and tea consumption in the Scottish Heart Health Study follow up: conflicting relations with coronary risk factors, coronary disease, and all cause mortality, **481**
ras Mutations and a cup of coffee: cause, confounder, effect modifier, or what else?: *editorial*, **685**
cognitive function, Smoking, drinking, and other life style factors and cognitive function in men in the Caerphilly cohort, **9**
cohort study, Study of environmental, social, and paternal factors in preterm delivery using sibs and half sibs. A population-based study in Denmark, **20**
colorectal cancer, Cancer registry data based estimation of regional cancer incidence: application to breast and colorectal cancer in French administrative regions, **558**
Variation in the provision of chemotherapy for colorectal cancer, **775**
communicable diseases, Health protection in the next millennium: from tactics to strategy?: *editorial*, **517**
community, Neighbourhood differences in diet: the Atherosclerosis Risk in Communities (ARIC) Study, **55**
community intervention, Shifting the distribution of risk: results of a community intervention in a Swedish programme for the prevention of cardiovascular disease, **243**
condom use, Association between condom use and HIV infection: a randomised study of self reported condom use measures, **417**
consultation patterns, Social deprivation and patterns of consultation for respiratory symptoms: a population-based cohort study, **251**
coronary disease, Coffee and tea consumption in the Scottish Heart Health Study follow up: conflicting relations with coronary risk factors, coronary disease, and all cause mortality, **481**
coronary heart disease, Are risk factors for atherothrombotic disease associated with back pain sickness absence? The Whitehall II study, **197**
Trends in coronary heart disease in two Belgian areas: results from the MONICA Ghent-Charleroi study, **89**
cosmetic surgery, Contrasting evidence of the effectiveness of cosmetic surgery from two health related quality of life measures, **440**
cost, Nutritional counselling in general practice: a cost effective analysis, **311**
costs, An economic model to estimate the relative costs over 20 years of different hip prostheses, **542**
High cost factors for leukaemia and lymphoma patients: a new analysis of costs within these diagnosis related groups, **24**

cross sectional studies, Association between condom use and HIV infection: a randomised study of self reported condom use measures, **417**
cross sectional survey, Association of sexual problems with social, psychological, and physical problems in men and women: a cross sectional population survey, **144**

decision making, Towards a philosophy of public health, **99**
demand/resource model, Operationalisation of a demand/resource model of health: an explorative study, **187**
dementia, Risk of dementia in parents of probands with and without the apolipoprotein E4 allele. The EVA study, **393**
demographic transition, Fertility and infant mortality trends in Nicaragua 1964–1993. The role of women's education, **132**
depression, Family, religion, and depressive symptoms in caregivers of disabled elderly, **364**
Unemployment, depression, and health: a look at the African-American community, **335**
deprivation, Asthma prevalence and deprivation: a small area analysis, **476**
Deprivation and excess winter mortality, **499**
Deprivation and excess winter mortality: *letter,* **807**
Educational attainment, deprivation-affluence and self reported health in Britain: a cross sectional study, **535**
Geographical patterns of excess mortality in Spain explained by two indices of deprivation, **423**
Mortality in poorer areas: *letter,* **652**
The choice of deprivation in measuring poorer health in Northamptonshire, **189**
developing countries, Epidemiology and public health journals on the internet, **510**
diabetes mellitus, Overtime, psychosocial working conditions, and occurrence of non-insulin dependent diabetes mellitus in Japanese men, **359**
diagnosis related groups, High cost factors for leukaemia and lymphoma patients: a new analysis of costs within these diagnosis related groups, **24**
diet, Neighbourhood differences in diet: the Atherosclerosis Risk in Communities (ARIC) Study, **55**
dietary assessment, The validity of dietary assessment in general practice, **165**
differential item functioning, Assessment of differential item functioning in the Perceived Stress Scale-10, **319**
dioxins, Dioxins in Belgian feed and food: chickens and eggs: *editorial,* **742**
Dioxin in feed and food: Is public health running behind?: *editorial,* **744**
On dioxins, Liverpool, lone motherhood and homocysteine: *editorial,* **741**
disability, An additional dimension to health inequalities: disease severity and socioeconomic position, **603**
Determinants of self rated health for Canadians with chronic disease and disability, **731**
disability adjusted life year, Steady state assumptions in DALYs: effect on estimates of HIV impact, **43**
disability pension, Longitudinal, population-based study of self reported alcohol habits, high levels of sickness absence, and disability pensions, **223**
disability transition, Health expectancy in New Zealand, 1981–1991: social variations and trends in a period of rapid social and economic change, **519**
disasters, Acute health effects of the Sea Empress oil spill, **306**
discrimination, Do only French doctors discriminate against intravenous drug users?: *editorial,* **1**
disease severity, An additional dimension to health inequalities: disease severity and socioeconomic position, **603**
drinking water, Non-Hodgkin's lymphoma and nitrate in drinking water: a study in Yorkshire, United Kingdom, **383**
drug misuse, Reduction in drug related suicide in Scotland 1990–1996: an artefactual explanation, **436**
drug misuse database, Validation of the University of Manchester Drug Misuse Database, **159**
drug use, Access to antiretroviral treatment among French HIV infected injection drug users: the influence of continued drug use, **4**
Evaluation of the impact of Dublin's expanded harm reduction programme on prevalence of hepatitis C among short-term injecting drug users, **434**
Do only French doctors discriminate against intravenous drug users?: *editorial,* **1**
Duncan memorial lecture, Dr Duncan's legacy in a remote New Guinea valley, **794**
Dr Duncan's legacy in Liverpool today, **801**

ecological, Suicide, religion, and socioeconomic conditions. An ecological study in 26 countries, 1990, **204**
economic evaluation, Secondary analysis of economic data: a review of cost-benefit studies of neonatal screening for phenylketonuria, **179**
economic model, An economic model to estimate the relative costs over 20 years of different hip prostheses, **542**
ectopic pregnancy, Contrasting trends in rates of genital chlamydial infection and ectopic pregnancy in South East Thames Region, England and Uppsala County, Sweden: ecological study, **438**
editorial freedom, On editorial freedom: implications of the JAMA affair: *editorial,* **194**
education, Association between educational level and health related quality of life in Spanish adults, **75**
Educational attainment, deprivation-affluence and self reported health in Britain: a cross sectional study, **535**
Fertility and infant mortality trends in Nicaragua 1964–1993. The role of women's education, **132**
The magnitude of differences in perceived general health associated with educational level in the regions of Spain, **288**
Edwin Chadwick, Inequalities in health: then and now: *editorial,* **321**
effect modification, Suicide, religion, and socioeconomic conditions. An ecological study in 26 countries, 1990, **204**
elderly, Health, cognitive, and psychosocial factors as predictors of mortality in an elderly community sample, **83**
Is the frequency of having an eye test associated with socioeconomic factors? A national cross sectional study in British elderly, **737**
employment, Working conditions and social inequalities in health: *editorial,* **390**
enuresis, In this number: *editorial,* **449**
Urinary incontinence in middle aged women: childhood enuresis and other lifetime risk factors in a British prospective cohort, **453**
environmental pollution, Acute health effects of the Sea Empress oil spill, **306**
epidemics, Modelling influenza epidemics in the relation between black smoke and total mortality. A sensitivity analysis, **583**
epidemiology, Asthma prevalence and deprivation: a small area analysis, **476**
East Ireland 1980–1994: epidemiology of neural tube defects, **782**
Lymphatic and haematopoietic cancer mortality in a population attending school adjacent to styrene-butadiene facilities, 1963–1993, **283**
Paradoxes, **677**
Prevalence of varicose veins and chronic venous insufficiency in men and women in the general population: Edinburgh Vein Study, **149**
Sticky webs, hungry spiders, buzzing flies, and fractal metaphors: on the misleading juxtaposition of "risk factor" versus "social" epidemiology: *editorial,* **678**
The Acheson report: beyond parenthood and apple pie?: *editorial,* **322**
The life span of Methodist ministers: an example of the use of obituaries in epidemiology, **253**
Was Claude Bernard wrong?: *editorial,* **593**
epistemology, Towards a philosophy of public health, **99**
equity, Does increased investment in coronary angiography and revascularisation reduce socioeconomic inequalities in utilisation?, **572**
estimation, Cancer registry data based estimation of regional cancer incidence: application to breast and colorectal cancer in French administrative regions, **558**
Estonia, Patterns of smoking in the Baltic Republics, **277**
ethical codes, The covert influence of the tobacco industry on research and publication: a call to arms: *editorial,* **261**
ethics, Towards a philosophy of public health, **99**
ethnic cleansing, Balkan briefing. Reflections on the health of a refugee population (part 1), **578**
ethnic groups, Neighbourhood differences in diet: the Atherosclerosis Risk in Communities (ARIC) Study, **55**
ethnicity, Relative importance of urbanicity, ethnicity and socioeconomic factors regarding area mortality differences, **444**
experimental design, Relation between experimental and non-experimental study designs. HB vaccines: a case study, **51**
eye test, Is the frequency of having an eye test associated with socioeconomic factors? A national cross sectional study in British elderly, **737**

family doctor, Family doctor advice is the main determinant of pneumococcal vaccine uptake, **589**
family history, Familial predisposition and susceptibility to the effect of other risk factors for myocardial infarction, **269**
family size, Association between asthma and family size between 1977 and 1994, **15**
fertility, Fertility and infant mortality trends in Nicaragua 1964–1993. The role of women's education, **132**
folate, Similarities in the epidemiology of neural tube defects and coronary heart disease: is homocysteine the missing link?, **789**
folic acid, Time trends in neural tube defects prevalence in relation to preventive strategies: an international study, **630**
follow up studies, Short-term impact of a university based smoke free campaign, **710**
food, Dioxins in Belgian feed and food: chickens and eggs: *editorial,* **742**
fruit and vegetable consumption, The Health Education Authority's health and lifestyle survey 1993: who are the low fruit and vegetable consumers?, **294**

gender, Comparing individual-based and household-based measures of social class to assess class inequalities in women's health: a methodological study of 684 US women, **612**
Gender differences in minor morbidity among full time employees of a British university, **465**
gender inequality, Gender inequalities in health and health care services use in Catalonia (Spain), **218**
general health, The magnitude of differences in perceived general health associated with educational level in the regions of Spain, **288**
general practice, Nutritional counselling in general practice: a cost effective analysis, **311**
generic measure of health status, Assessment of the SF-36 version 2 in the United Kingdom, **46**
genetics, Association between coffee drinking and K-*ras* mutations in exocrine pancreatic cancer, **702**
Genes as causes: scientific fact or simplistic thinking?: *editorial,* **385**
genital chlamydial infection, Contrasting trends in rates of genital chlamydial infection and ectopic pregnancy in South East Thames Region, England and Uppsala County, Sweden: ecological study, **438**
geographical clustering, Geographical clustering of acute adult leukaemia in the East Anglian region of the United Kingdom: a registry-based analysis, **317**
Gompertz function, Increase in cervical cancer mortality in Spain, 1951–1991, **408**

health, Randomised studies of income supplementation: a lost opportunity to assess health outcomes, **725**
Tolerance and reconciliation: the spiritual prerequisites to health, **502**
Working conditions and social inequalities in health: *editorial,* **390**
health assessment, Assessment of the SF-36 version 2 in the United Kingdom, **46**
Assessment of the SF-36 version 2 in the United Kingdom: *letter,* **651**
health behaviours, Social mobility and health related behaviours in young people, **211**
health expectancy, Health expectancy in New Zealand, 1981–1991: social variations and trends in a period of rapid social and economic change, **519**
health inequalities, An additional dimension to health inequalities: disease severity and socioeconomic position, **603**
Socioeconomic and demographic predictors of mortality and institutional residence among middle aged and older people: results from the Longitudinal Study, **765**
health inequality, Gender inequalities in health and health care services use in Catalonia (Spain), **218**
Health inequality and public policy: one year on from the Acheson report: *editorial,* **748**
Inequalities in health: then and now: *editorial,* **321**
Lone mothers in Sweden: trends in health and socioeconomic circumstances, 1979–1995, **750**
Workplace as an origin of health inequalities, **399**
health interview survey, Gender inequalities in health and health care services use in Catalonia (Spain), **218**
health interview surveys, Influence of proxy respondents in children's health interview surveys, **38**
health promotion, Barriers to physical activity and socioeconomic position: implications for health promotion, **191**
The Health Education Authority's health and lifestyle survey 1993: who are the low fruit and vegetable consumers?, **294**
health services use, Gender inequalities in health and health care services use in Catalonia (Spain), **218**
health status, Determinants of self assessed health among Spanish older people living at home, **412**
Healthy Cities Conference, Tolerance and reconciliation: the spiritual prerequisites to health, **502**
healthy life year, Steady state assumptions in DALYs: effect on estimates of HIV impact, **43**
hepatitis C, Evaluation of the impact of Dublin's expanded harm reduction programme on prevalence of hepatitis C among short-term injecting drug users, **434**
heroin dependence, A small area analysis estimating the prevalence of addiction to opioids in Barcelona, 1993, **488**
hip fractures, Mental distress and risk of hip fracture. Do broken hearts lead to broken bones?, **343**
hip pain, An additional dimension to health inequalities: disease severity and socioeconomic position, **603**
HIV, Steady state assumptions in DALYs: effect on estimates of HIV impact, **43**
HIV infection, Access to antiretroviral treatment among French HIV infected injection drug users: the influence of continued drug use, **4**
HIV prevention, Association between condom use and HIV infection: a randomised study of self reported condom use measures, **417**
homocysteine, On dioxins, Liverpool, lone motherhood and homocysteine: *editorial,* **741**
Similarities in the epidemiology of neural tube defects and coronary heart disease: is homocysteine the missing link?, **789**
Hong Kong, Public health issues in Hong Kong and China: *leader,* **130**
hospital admission, Does ozone have any effect on daily hospital admissions for circulatory diseases?, **580**
household fuels, Poor urban environments: use of paraffin and other fuels as sources of indoor air pollution, **585**
human rights, Balkan briefing. Abuses of human rights in the Kosovo region of the Balkans: *editorial,* **594**

identity, Finding identity in a virtual world: *editorial,* **746**
ill health, The choice of deprivation in measuring poorer health in Northamptonshire, **189**
impact factors, Adjusted impact factors for comparisons between disciplines: *letter,* **739**
incidence, Cancer registry data based estimation of regional cancer incidence: application to breast and colorectal cancer in French administrative regions, **558**
income, Postcodes as useful markers of income in 26 000 British households, **582**
Randomised studies of income supplementation: a lost opportunity to assess health outcomes, **725**
incontinence, In this number: *editorial,* **449**
Urinary incontinence in middle aged women: childhood enuresis and other lifetime risk factors in a British prospective cohort, **453**
inequality, Geographical patterns of excess mortality in Spain explained by two indices of deprivation, **423**
infant mortality, Fertility and infant mortality trends in Nicaragua 1964–1993. The role of women's education, **132**
influenza, Modelling influenza epidemics in the relation between black smoke and total mortality. A sensitivity analysis, **583**
informal care, Family, religion, and depressive symptoms in caregivers of disabled elderly, **364**
information, DISCERN: an instrument for judging the quality of written consumer health information on treatment choices, **105**
internet, Epidemiology and public health journals on the internet, **510**
intervention, Does increased investment in coronary angiography and revascularisation reduce socioeconomic inequalities in utilisation?, **572**
intrauterine growth retardation, Smoking and intrauterine growth retardation in Republic of Benin, **432**
intravenous drug users, Limited access to antiretroviral therapy for intravenous drug users in Europe: *letter,* **739**
Ireland, East Ireland 1980–1994: epidemiology of neural tube defects, **782**
ischaemic heart disease, Similarities in the epidemiology of neural tube defects and coronary heart disease: is homocysteine the missing link?, **789**
item bias, Assessment of differential item functioning in the Perceived Stress Scale-10, **319**

job stress, Association between job characteristics and plasma fibrinogen in a normal working population: a cross sectional analysis in referents of the SHEEP study, **348**

Kosovo, Balkan briefing. Abuses of human rights in the Kosovo region of the Balkans: *editorial,* **594**
Kosovo: the challenge to public health: *editorial,* **450**

Latvia, Patterns of smoking in the Baltic Republics, **277**
leukaemia, An assessment of spatial clustering of leukaemias and lymphomas among young people in New Zealand, **154**
Geographical clustering of acute adult leukaemia in the East Anglian region of the United Kingdom: a registry-based analysis, **317**
life course, When does cardiovascular risk start? Past and present socioeconomic circumstances and risk factors in adulthood, **757**
life course epidemiology, In this number: *editorial,* **449**
life expectancy, Gains in life expectancy after elimination of major causes of death: revised estimates taking into account the effect of competing causes, **32**
Life expectancy and relation to smoking: *letter,* **591**
lifestyle, Relative importance of heritable characteristics and lifestyle in the development of maternal obesity, **66**
Lithuania, Patterns of smoking in the Baltic Republics, **277**
Liverpool, Dr Duncan's legacy in Liverpool today, **801**
London, Who will grasp the public health nettle in London?: *editorial,* **386**
lone motherhood, On dioxins, Liverpool, lone motherhood and homocysteine: *editorial,* **741**
lone mothers, Being a woman is hard work: the policy implications of poor health among lone mothers: *editorial,* **749**
Lone mothers in Sweden: trends in health and socioeconomic circumstances, 1979–1995, **750**
low birth weight, Socioeconomic and work related determinants of pregnancy outcome in southern Thailand, **624**
lung cancer, Excess lung cancer incidence and radon indoors in a Bulgarian town: *letter,* **448**
lung function, Decline in lung function and mortality: The Busselton Health Study, **230**

mass screening, Perceived sensitivity of mammographic screening: women's views on test accuracy and financial compensation for missed cancers, **716**
maternal obesity, Relative importance of heritable characteristics and lifestyle in the development of maternal obesity, **66**
measles, Twice vaccinated recipients are better protected against epidemic measles than are single dose recipients of measles containing vaccine, **173**
measurement, Assessment of differential item functioning in the Perceived Stress Scale-10, **319**
medication, Impact of chronic pain on health care seeking, self care, and medication. Results from a population-based Swedish study, **503**
meningococcal disease, Managing meningococcal disease case clusters: art or science?, **565**
Policies for public health management of meningococcal disease: *editorial*, **516**
mental health, Mental distress and risk of hip fracture. Do broken hearts lead to broken bones?, **343**
meta-analysis, Lost information? The fate of papers presented at the 40th Society for Social Medicine Conference, **442**
Methodist ministers, The life span of Methodist ministers: an example of the use of obituaries in epidemiology, **253**
minor morbidity, Gender differences in minor morbidity among full time employees of a British university, **465**
mixture model, High cost factors for leukaemia and lymphoma patients: a new analysis of costs within these diagnosis related groups, **24**
model of health, Operationalisation of a demand/resource model of health: an explorative study, **187**
mortality, Decline in lung function and mortality: The Busselton Health Study, **230**
Deprivation and excess winter mortality, **499**
Health, cognitive, and psychosocial factors as predictors of mortality in an elderly community sample, **83**
How good is the Prevent model for estimating the health benefits of prevention?, **300**
Modelling influenza epidemics in the relation between black smoke and total mortality. A sensitivity analysis, **583**
Mortality in poorer areas: *letter*, **652**
Poverty, time, and place: variation in excess mortality across selected US populations, 1980–1990, **325**
Relation between high temperature and mortality: *letter*, **591**
Relative importance of urbanicity, ethnicity and socioeconomic factors regarding area mortality differences, **444**
Social prognostic factors of mortality in a random cohort of Geneva subjects followed up for a period of 12 years, **138**
Socioeconomic and demographic predictors of mortality and institutional residence among middle aged and older people: results from the Longitudinal Study, **765**
mortality data, Validity of mortality data for Parkinson's disease, **587**
multiple myeloma, Multiple myeloma in south Cumbria: prediction fulfilled , **255**
musculoskeletal disorders, Are risk factors for atherothrombotic disease associated with back pain sickness absence? The Whitehall II study, **197**
myocardial infarction, Familial predisposition and susceptibility to the effect of other risk factors for myocardial infarction, **269**

needle exchange programmes, Evaluation of the impact of Dublin's expanded harm reduction programme on prevalence of hepatitis C among short-term injecting drug users, **434**
neonatal screening, Secondary analysis of economic data: a review of cost-benefit studies of neonatal screening for phenylketonuria, **179**
neural tube defects, East Ireland 1980–1994: epidemiology of neural tube defects, **782**
Similarities in the epidemiology of neural tube defects and coronary heart disease: is homocysteine the missing link?, **789**
Time trends in neural tube defects prevalence in relation to preventive strategies: an international study, **630**
New Guinea, Dr Duncan's legacy in a remote New Guinea valley, **794**
Nicaragua, Fertility and infant mortality trends in Nicaragua 1964–1993. The role of women's education, **132**
Rights of Nicaraguan women: *editorial*, **129**
nitrate, Non-Hodgkin's lymphoma and nitrate in drinking water: a study in Yorkshire, United Kingdom, **383**
non-experimental design, Relation between experimental and non-experimental study designs. HB vaccines: a case study, **51**
non-Hodgkin's lymphoma, Non-Hodgkin's lymphoma and nitrate in drinking water: a study in Yorkshire, United Kingdom, **383**
nutrition, Nutritional counselling in general practice: a cost effective analysis, **311**

obituaries, The life span of Methodist ministers: an example of the use of obituaries in epidemiology, **253**
oil spill, Oil spills and health advocacy: *editorial*, **257**
old age, Socioeconomic and demographic predictors of mortality and institutional residence among middle aged and older people: results from the Longitudinal Study, **765**
ontology, Towards a philosophy of public health, **99**
oral contraception, Type 3 errors, pill scares, and the epidemiology of oral contraception and health: *editorial*, **258**
orthopaedics, A randomised controlled trial. Shifting boundaries of doctors and physiotherapists in orthopaedic outpatient departments, **643**
overtime, Overtime, psychosocial working conditions, and occurrence of non-insulin dependent diabetes mellitus in Japanese men, **359**
ozone, Does ozone have any effect on daily hospital admissions for circulatory diseases?, **580**

pancreatic neoplasms, Association between coffee drinking and K-*ras* mutations in exocrine pancreatic cancer, **702**
paraffin, Poor urban environments: use of paraffin and other fuels as sources of indoor air pollution, **585**
Parkinson's disease, Validity of mortality data for Parkinson's disease, **587**
paternal effect, Study of environmental, social, and paternal factors in preterm delivery using sibs and half sibs. A population-based study in Denmark, **20**
patient, DISCERN: an instrument for judging the quality of written consumer health information on treatment choices, **105**
patients, Is follow up by specialists routinely needed after elective surgery? A controlled trial, **118**
"City Health Profiles" Review of the "City Health Profiles" produced by WHO-Healthy Cities—do they present information on health and its determinants and what are their perceived benefits?, **125**
perceived stress, Assessment of differential item functioning in the Perceived Stress Scale-10, **319**
phenylketonuria, Secondary analysis of economic data: a review of cost-benefit studies of neonatal screening for phenylketonuria, **179**
philosophy, Towards a philosophy of public health, **99**
physical activity, Barriers to physical activity and socioeconomic position: implications for health promotion, **191**
plasma fibrinogen, Association between job characteristics and plasma fibrinogen in a normal working population: a cross sectional analysis in referents of the SHEEP study, **348**
pneumococcal disease, Family doctor advice is the main determinant of pneumococcal vaccine uptake, **589**
policy, Violence: developing a policy agenda: *leader*, **2**
postcodes, Postcodes as useful markers of income in 26 000 British households, **582**
poverty, Lone mothers in Sweden: trends in health and socioeconomic circumstances, 1979–1995, **750**
Poverty and world health: challenges and opportunities: *editorial*, **597**
Poverty, time, and place: variation in excess mortality across selected US populations, 1980–1990, **325**
prediction, How good is the Prevent model for estimating the health benefits of prevention?, **300**
Models: instruments for evidence based policy: *leader*, **263**
pregnancy, Relative importance of heritable characteristics and lifestyle in the development of maternal obesity, **66**
Smoking habits among pregnant Danish women: reliability of information recorded after delivery, **239**
prehospital delay, Longer pre-hospital delay in acute myocardial infarction in women because of longer doctor decision time, **459**
preterm delivery, Socioeconomic and work related determinants of pregnancy outcome in southern Thailand, **624**
Study of environmental, social, and paternal factors in preterm delivery using sibs and half sibs. A population-based study in Denmark, **20**
prevalence, A small area analysis estimating the prevalence of addiction to opioids in Barcelona, 1993, **488**
primary care, Is follow up by specialists routinely needed after elective surgery? A controlled trial, **118**
Shifting the distribution of risk: results of a community intervention in a Swedish programme for the prevention of cardiovascular disease, **243**
The validity of dietary assessment in general practice, **165**
primary health care, Impact of chronic pain on health care seeking, self care, and medication. Results from a population-based Swedish study, **503**
programme evaluation, Short-term impact of a university based smoke free campaign, **710**
prospective cohort, Urinary incontinence in middle aged women: childhood enuresis and other lifetime risk factors in a British prospective cohort, **453**
proxy respondent, Influence of proxy respondents in children's health interview surveys, **38**
psychological stress, Overtime, psychosocial working conditions, and occurrence of non-insulin dependent diabetes mellitus in Japanese men, **359**
psychometrics, Assessment of differential item functioning in the Perceived Stress Scale-10, **319**
psychosexual problems, Association of sexual problems with social, psychological, and physical problems in men and women: a cross sectional population survey, **144**
psychosocial determinants, The Health Education Authority's health and lifestyle survey 1993: who are the low fruit and vegetable consumers?, **294**
psychotropic drugs, Mental distress and risk of hip fracture. Do broken hearts lead to broken bones?, **343**

public health, 1997 Chadwick Lecture—Is a healthy North West Region achievable in the 21st century, **370**
Balkan briefing. Reflections on the health of a refugee population (part 1), **578**
Being a woman is hard work: the policy implications of poor health among lone mothers: *editorial*, **749**
Dioxin in feed and food: Is public health running behind?: *editorial*, **744**
Every step counts: towards a smoke free society: *editorial*, **686**
Global + local = glocal public health: *editorial*, **451**
Health protection in the next millennium: from tactics to strategy?: *editorial*, **517**
High rates and a healthy city: *editorial*, **324**
In this number: *editorial*, **449**
In this number: *editorial*, **513**
Kosovo: the challenge to public health: *editorial*, **450**
Managing meningococcal disease case clusters: art or science?, **565**
Oil spills and health advocacy: *editorial*, **257**
Policies for public health management of meningococcal disease: *editorial*, **516**
Poverty and world health: challenges and opportunities: *editorial*, **597**
Practice makes perfect: developing public health practice: *editorial*, **683**
Public health issues in Hong Kong and China: *leader*, **130**
Review of the "City Health Profiles" produced by WHO-Healthy Cities—do they present information on health and its determinants and what are their perceived benefits?, **125**
Social capital: is it good for your health? Issues for a public health agenda: *leader*, **195**
The fate of non-medics working in public health: *letter*, **128**
The new GATT Round: Whose development? Whose health?: *editorial*, **681**
The study of social inequalities in health in Spain: where are we?: *editorial*, **388**
Towards a philosophy of public health, **99**
Violence: developing a policy agenda: *leader*, **2**
Who will grasp the public health nettle in London?: *editorial*, **386**
publication, Epidemiology and public health journals on the internet, **510**
publication bias, Lost information? The fate of papers presented at the 40th Society for Social Medicine Conference, **442**

quality, DISCERN: an instrument for judging the quality of written consumer health information on treatment choices, **105**
quality of life, A cardiovascular extension of the Health Measurement Questionnaire, **548**
Association between educational level and health related quality of life in Spanish adults, **75**
quality of life measures, Contrasting evidence of the effectiveness of cosmetic surgery from two health related quality of life measures, **440**

radon, Excess lung cancer incidence and radon indoors in a Bulgarian town: *letter*, **448**
randomised controlled trial, A randomised controlled trial. Shifting boundaries of doctors and physiotherapists in orthopaedic outpatient departments, **643**
randomised trials, Randomised studies of income supplementation: a lost opportunity to assess health outcomes, **725**
***ras* mutations,** *ras* **Mutations and a cup of coffee: cause, confounder, effect modifier, or what else?:** *editorial*, **685**
recall bias, Smoking habits among pregnant Danish women: reliability of information recorded after delivery, **239**
recurrence, Study of environmental, social, and paternal factors in preterm delivery using sibs and half sibs. A population-based study in Denmark, **20**
refugees, Balkan briefing. Reflections on the health of a refugee population (part 1), **578**
register, Trends in coronary heart disease in two Belgian areas: results from the MONICA Ghent-Charleroi study, **89**
religion, Challenging previous assumptions: *editorial*, **193**
Suicide, religion, and socioeconomic conditions. An ecological study in 26 countries, 1990, **204**
religiosity, Family, religion, and depressive symptoms in caregivers of disabled elderly, **364**
research funding, The covert influence of the tobacco industry on research and publication: a call to arms: *editorial*, **261**
respiratory disease, Social deprivation and patterns of consultation for respiratory symptoms: a population-based cohort study, **251**
revascularisation, Does increased investment in coronary angiography and revascularisation reduce socioeconomic inequalities in utilisation?, **572**
review, Epidemiology and public health journals on the internet, **510**
risk factors, Familial predisposition and susceptibility to the effect of other risk factors for myocardial infarction, **269**
How good is the Prevent model for estimating the health benefits of prevention?, **300**
Mental distress and risk of hip fracture. Do broken hearts lead to broken bones?, **343**
risk of infection, Tuberculosis infection and disease among schoolchildren: the influence of the HIV epidemic and of other factors, **112**
rural/urban, Poverty, time, and place: variation in excess mortality across selected US populations, 1980–1990, **325**
Russia, Patterns of smoking in the Baltic Republics, **277**

school, Tuberculosis infection and disease among schoolchildren: the influence of the HIV epidemic and of other factors, **112**
Scotland, Reduction in drug related suicide in Scotland 1990–1996: an artefactual explanation, **436**
screening, Towards a philosophy of public health, **99**
Tuberculosis infection and disease among schoolchildren: the influence of the HIV epidemic and of other factors, **112**
season, Deprivation and excess winter mortality, **499**
seasons, Studying seasonality by using sine and cosine functions in regression analysis, **235**
secondary analysis, Secondary analysis of economic data: a review of cost-benefit studies of neonatal screening for phenylketonuria, **179**
secondary care, Is follow up by specialists routinely needed after elective surgery? A controlled trial, **118**
self care, Impact of chronic pain on health care seeking, self care, and medication. Results from a population-based Swedish study, **503**
self perceived health status, Gender inequalities in health and health care services use in Catalonia (Spain), **218**
self rated health, Determinants of self rated health for Canadians with chronic disease and disability, **731**
self reported health, Educational attainment, deprivation-affluence and self reported health in Britain: a cross sectional study, **535**
Lone mothers in Sweden: trends in health and socioeconomic circumstances, 1979–1995, **750**
sensitivity, Perceived sensitivity of mammographic screening: women's views on test accuracy and financial compensation for missed cancers, **716**
sex, Association between job characteristics and plasma fibrinogen in a normal working population: a cross sectional analysis in referents of the SHEEP study, **348**
SF-36 version 2, Assessment of the SF-36 version 2 in the United Kingdom, **46**
Assessment of the SF-36 version 2 in the United Kingdom: *letter*, **651**
sickness absence, Longitudinal, population-based study of self reported alcohol habits, high levels of sickness absence, and disability pensions, **223**
simulation, How good is the Prevent model for estimating the health benefits of prevention?, **300**
Models: instruments for evidence based policy: *leader*, **263**
single parent, Inequalities in low birth weight: parental social class, area deprivation, and "lone mother" status, **355**
small area analysis, A small area analysis estimating the prevalence of addiction to opioids in Barcelona, 1993, **488**
small areas, Relative importance of urbanicity, ethnicity and socioeconomic factors regarding area mortality differences, **444**
small for gestational age, Socioeconomic and work related determinants of pregnancy outcome in southern Thailand, **624**
smoking, Every step counts: towards a smoke free society: *editorial*, **686**
Life expectancy and relation to smoking: *letter*, **591**
Mortality in poorer areas: *letter*, **652**
Patterns of smoking in the Baltic Republics, **277**
Smoking and intrauterine growth retardation in Republic of Benin, **432**
Smoking, drinking, and other life style factors and cognitive function in men in the Caerphilly cohort, **9**
Smoking habits among pregnant Danish women: reliability of information recorded after delivery, **239**
Weight gain and relation to maternal smoking: *letter*, **256**
smoking cessation process, Comparing smoking and smoking cessation process in the Republic of Karelia, Russia and North Karelia, Finland, **528**
smoking prevalence, Comparing smoking and smoking cessation process in the Republic of Karelia, Russia and North Karelia, Finland, **528**
smoking prevention, Short-term impact of a university based smoke free campaign, **710**
social capital, Social capital: is it good for your health? Issues for a public health agenda: *leader*, **195**
social class, Association between asthma and family size between 1977 and 1994, **15**
Comparing individual-based and household-based measures of social class to assess class inequalities in women's health: a methodological study of 684 US women, **612**
Neighbourhood differences in diet: the Atherosclerosis Risk in Communities (ARIC) Study, **55**
social conditions, A small area analysis estimating the prevalence of addiction to opioids in Barcelona, 1993, **488**
Study of environmental, social, and paternal factors in preterm delivery using sibs and half sibs. A population-based study in Denmark, **20**
social deprivation, Social deprivation and patterns of consultation for respiratory symptoms: a population-based cohort study, **251**
social inequalities, Social prognostic factors of mortality in a random cohort of Geneva subjects followed up for a period of 12 years, **138**
Working conditions and social inequalities in health: *editorial*, **390**

social inequality, Social inequalities in severity of illness: *editorial,* **599**
The study of social inequalities in health in Spain: where are we?: *editorial,* **388**
social life course, Social prognostic factors of mortality in a random cohort of Geneva subjects followed up for a period of 12 years, **138**
social mobility, Social mobility and health related behaviours in young people, **211**
social position, Measuring women's social position: the importance of theory: *editorial,* **601**
social support, Family, religion, and depressive symptoms in caregivers of disabled elderly, **364**
social variations, Health expectancy in New Zealand, 1981–1991: social variations and trends in a period of rapid social and economic change, **519**
socioeconomic, Suicide, religion, and socioeconomic conditions. An ecological study in 26 countries, 1990, **204**
socioeconomic factors, Differences between infants and adults in the social aetiology of wheeze, **636**
Inequalities in low birth weight: parental social class, area deprivation, and "lone mother" status, **355**
Neighbourhood differences in diet: the Atherosclerosis Risk in Communities (ARIC) Study, **55**
socioeconomic health differences, Relative importance of urbanicity, ethnicity and socioeconomic factors regarding area mortality differences, **444**
socioeconomic position, Barriers to physical activity and socioeconomic position: implications for health promotion, **191**
When does cardiovascular risk start? Past and present socioeconomic circumstances and risk factors in adulthood, **757**
socioeconomic status, Inequality in health: socioeconomic differentials in mortality in Rome, 1990–95, **687**
Socioeconomic and work related determinants of pregnancy outcome in southern Thailand, **624**
Socioeconomic status and birth weight: comparison of an area-based measure with the Registrar General's social class, **495**
Suicide and unemployment in Italy, 1982–1994, **694**
Spain, Gender inequalities in health and health care services use in Catalonia (Spain), **218**
Increase in cervical cancer mortality in Spain, 1951–1991, **408**
Modelling influenza epidemics in the relation between black smoke and total mortality. A sensitivity analysis, **583**
The magnitude of differences in perceived general health associated with educational level in the regions of Spain, **288**
The study of social inequalities in health in Spain: where are we?: *editorial,* **388**
statistics, Studying seasonality by using sine and cosine functions in regression analysis, **235**
subjective health, Beer, wine, spirits and subjective health, **721**
suicide, Challenging previous assumptions: *editorial,* **193**
Reduction in drug related suicide in Scotland 1990–1996: an artefactual explanation, **436**
Suicide and unemployment in Italy, 1982–1994, **694**
Suicide, religion, and socioeconomic conditions. An ecological study in 26 countries, 1990, **204**
surgical follow up, Is follow up by specialists routinely needed after elective surgery? A controlled trial, **118**
systematic reviews, Lost information? The fate of papers presented at the 40th Society for Social Medicine Conference, **442**

tea, Coffee and tea consumption in the Scottish Heart Health Study follow up: conflicting relations with coronary risk factors, coronary disease, and all cause mortality, **481**
temperature, Relation between high temperature and mortality: *letter,* **591**
thrombolytic treatment, Longer pre-hospital delay in acute myocardial infarction in women because of longer doctor decision time, **459**
time trends, Inequality in health: socioeconomic differentials in mortality in Rome, 1990–95, **687**
tobacco industry, The covert influence of the tobacco industry on research and publication: a call to arms: *editorial,* **261**
tolerance, Tolerance and reconciliation: the spiritual prerequisites to health, **502**
total hip replacement, An economic model to estimate the relative costs over 20 years of different hip prostheses, **542**
trends, Health expectancy in New Zealand, 1981–1991: social variations and trends in a period of rapid social and economic change, **519**
Trends in coronary heart disease in two Belgian areas: results from the MONICA Ghent-Charleroi study, **89**
tuberculin, Tuberculosis infection and disease among schoolchildren: the influence of the HIV epidemic and of other factors, **112**
tuberculosis, Tuberculosis infection and disease among schoolchildren: the influence of the HIV epidemic and of other factors, **112**
type 3 errors, Type 3 errors, pill scares, and the epidemiology of oral contraception and health: *editorial,* **258**

unemployment, Lone mothers in Sweden: trends in health and socioeconomic circumstances, 1979–1995, **750**
Suicide and unemployment in Italy, 1982–1994, **694**
Unemployment, depression, and health: a look at the African-American community, **335**
utility assessment, A cardiovascular extension of the Health Measurement Questionnaire, **548**

vaccination, Twice vaccinated recipients are better protected against epidemic measles than are single dose recipients of measles containing vaccine, **173**
vaccine, Family doctor advice is the main determinant of pneumococcal vaccine uptake, **589**
vaccines, Relation between experimental and non-experimental study designs. HB vaccines: a case study, **51**
validation, The validity of dietary assessment in general practice, **165**
Validation of the University of Manchester Drug Misuse Database, **159**
validation of smoking, Comparing smoking and smoking cessation process in the Republic of Karelia, Russia and North Karelia, Finland, **528**
varicose veins, Prevalence of varicose veins and chronic venous insufficiency in men and women in the general population: Edinburgh Vein Study, **149**
violence, Violence: developing a policy agenda: *leader,* **2**
virtual world, Finding identity in a virtual world: *editorial,* **746**
vital status, Lymphatic and haematopoietic cancer mortality in a population attending school adjacent to styrene-butadiene facilities, 1963–1993, **283**

war crimes, Balkan briefing. Abuses of human rights in the Kosovo region of the Balkans: *editorial,* **594**
weight gain, Weight gain and relation to maternal smoking: *letter,* **256**
wheeze, Differences between infants and adults in the social aetiology of wheeze, **636**
winter mortality, Deprivation and excess winter mortality: *letter,* **807**
women, Comparing individual-based and household-based measures of social class to assess class inequalities in women's health: a methodological study of 684 US women, **612**
Measuring women's social position: the importance of theory: *editorial,* **601**
work exposure characteristics, Socioeconomic and work related determinants of pregnancy outcome in southern Thailand, **624**
working conditions, Gender differences in minor morbidity among full time employees of a British university, **465**
workplace, Workplace as an origin of health inequalities, **399**
world wide web, Epidemiology and public health journals on the internet, **510**

young people, Social mobility and health related behaviours in young people, **211**

zoonoses, Zoonoses: *editorial,* **514**